

Date:

ID:

Patient:

Date of Arrival to lab

☐ Female ☐ Male

Age

Try in, date:

Shade/färg/farve:

Kund / Client nr

Next visit, date:

Signatur:

Desinfekterat,
signatur:

LAB INTERNAL

A

A2

D

C

☐ Remake case

Crowns/bridges/etc Kronor/broar/etc Krone/Bro/etc

☐ Crown/Krona/Krone ☐ Bridge/Bro/Bro ☐ Post/Pelare/Støbt opbygning ☐ Inlay/onlay ☐ Maryland/Etsbro/Ætsbro ☐ Temp.crown

Material/Material/Material

☐ Co-Cr ☐ Titan ☐ Au 54% ☐ Au 75% ☐ Au 86% ☐ Pd 52% ☐ E-max ☐ Zirkonium ☐ Composite ☐ Metal/Composite ☐ Fiberreinforced

Extras/Extra/Extra

☐ Margin porcelain/Skulderporcelain/Skulderporcelæn ☐ Pink porcelain/Rosa porcelæn/Rosa porcelæn ☐ Full cast crown ☐ High esthetics (+50%)

☐ Split post/delad pelare/delt opbygning ☐ Parapost ☐ Telescope, inner ☐ Telescope, outer ☐ Richmond crown

Implants/ Implantat/ Implantat

☐ Single/partial ☐ 10+ teeth (full jaw) Number of fixtures: Implant system:

Type/Typ/Typ ☐ Screwed ☐ Cemented ☐ Overdenture/täckprotes/tryklåse

Material/Material/Material ☐ Co-Cr ☐ Titan ☐ Au ☐ Zirkonium Teeth/Tänder/tænder ☐ Ceramic ☐ Acrylic ☐ Composite

Cast partials/ Skeletterad protes/ Unitor

☐ Co-Cr ☐ Titan ☐ Lingual bar ☐ Lingual skena **Clasp/Klammer/klammer** ☐ Gold/guld/guld ☐ Steel/Stål/Stål No. of teeth:

Acrylic partials/ Oskeletterad protes/Akrylprotes

☐ 1-3 teeth ☐ 4+ teeth ☐ Immediate (no try in) ☐ Valplast, 1-3 teeth ☐ Valplast, 4+ teeth No. of teeth:

Full denture/helprotes/helprotese

☐ Upper/överkäke/overkæbe ☐ Lower/underkäke/underkæbe ☐ Immediate (no try in)

Extras/extra/extra

☐ Attachment ☐ Individual tray/Individuell sked/Individuel ske ☐ Bite block/bitschablon/plastron ☐ Relining/rebaserings/rebaserings

☐ Repair/lagning/lapning ☐ Add teeth/tillsättning/tilføje ☐ Other/annat/ævrigt

Splints/skenor/skinne

☐ Hard/hård/hård ☐ Semihard/semihård/semihård ☐ Soft/mjuk/blød ☐ Bleach/blekning/blege ☐ Prophylactic/profylax/profylax

Mouthgard/sportskydd/tandbeskytter ☐ Basic (1 layer/lager/lager) ☐ Medium (2 layer f ex karate) ☐ Heavy (3 layer for ex. hockey)

Antisnoring device/snarkskena/snorkeskinne

☐ Monoblock, hard/hård/hård ☐ Monoblock, semihard/semihård/semihård ☐ Monoblock, soft/mjuk/blød ☐ Biblock, hard/hård/hård ☐ Erkodent


Design and instructions

Please mark the teeth in construction.


Pontic	18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28	Hängande/ sväve
	18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28	Fast

Pontic	48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38	Hängande/ sväve
	48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38	Fast


4+	3+	2+	1+	+1	+2	+3	+4
14	13	12	11	21	22	23	24
44	43	42	41	31	32	33	34
4-	3-	2-	1-	-1	-2	-3	-4



Metal Design



Pontics



Transparency

☐ High
☐ Medium
☐ Minimum
☐ None

Glaze

☐ Low Glaze
☐ Medium Glaze
☐ High Glaze

Surface texture

☐ Heavy
☐ Medium
☐ Light

Occlusion stain

☐ Heavy
☐ Medium
☐ Light
☐ None

Contact surfaces

☐ Hard
☐ Medium
☐ Loose
☐ No contact

If insufficient space/Vid platsbrist:

Ok to grind/ok att slipa/ok att slipa

☐ Preparation ☐ Opposite ☐ Both

☐ Call dentist/ring för besked/ring!

Instructions to lab:

LAB INTERNAL NOTES: